**Product Name: Red Stone international co** 

Location: East Ahmadi Industrial Area, Block 6, Kuwait

| MUTUAL SOLVENT              |  |  |
|-----------------------------|--|--|
| PRODUCT CODE                | 085555   |  |
| SYNONYMS                    | 2-Butoxy ethanol Butyl cellosolve                                    |  |
| C.I. NO.                    | N/A  |  |
| CASR NO.                    | 111-76-2   |  |
| ATOMIC OR MOLECULAR FORMULA | C <sub>6</sub> H <sub>14</sub> O <sub>2</sub>                        |  |
| ATOMIC OR MOLECULAR WEIGHT  | 118.18   |  |
| PROPERTIES                  | Combustible.   |  |
| PARAMETER                   | LIMIT  |  |
| Description                 | A clear & colorless liquid.  |  |
| Solubility                  | Miscible with water & methanol forming clear and colorless solution. |  |
| Minimum assay (By GC)       | 98.0%  |  |
| Wt. Per ml at 20°C          | 0.899 - 0.903 gm   |  |
| Refractive Index (n)20<br>D | 1.419 - 1.420  |  |
| Boiling Range               | 167°- 171°C  |  |

Note(s): Assay (if applicable) method mentioned.

**Disposal:** Dissolve the chemical to be disposed, in water and allow it to run to waste, diluting with large quantities of water.

Hazard Pictogram(s) :-



# MATERIAL SAFETY DATA SHEET SDS/MSDS

# SECTION 1: Identification of the substance/mixture and of the company/under rtaking

1.1 Product identifiers

Product name : MUTUAL SOLVENT

CAS-No. : 111-76-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only

1.3 Details of the supplier of the safety data sheet

Company: RED STON INTERNATIONALFOR

PETRULEM SOLVENT

Telephone : +965-67751003

Email : Redstone Kuwait @gmail .com

1.4 Emergency telephone number

Emergency Phone # : +965-67751003

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

GHS06

Signal word Warning

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER or

doctor/ physician if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/ physician if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Rapidly absorbed through skin.

# SECTION 3: Composit ion/inform a tion on ingre dient s

#### 3.1 Substances

Synonyms : 2-Butoxyethanol

Butyl glycol EB Solvent

Formula : C6H14O2

Molecular weight : 118,18 g/mol

CAS-No. : 111-76-2

EC-No. : 203-905-0

Index-No. : 603-014-00-0

## Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

2-Butox ye tha nol

CAS-No. 111-76-2 Acute Tox. 4; Skin Irrit. 2; Eye <= 100 %

EC-No. 203-905-0 Irrit. 2; H302, H332, H312,

Index-No. 603-014-00-0 H315, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

## 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhale d

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If sw allow ed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Fire fighting measures

# 5.1 Extinguishing media

# Suitable extinguishing medie

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Combustible liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Components with workplace control parameters

# 8.2 Exposure controls

## Appropriat e engine ering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Prote ction**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

a) Appearance Form : liquid

Colour: colourless

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing

point

Melting point/range: -75 °C - lit.

f) Initial boiling point and boiling range

167 - 171 °C - lit.

g) Flash point 67 °C - closed cup
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

j) Upper/lower flammability or explosive limits Upper explosion limit: 12,7 %(V) Lower explosion limit: 1,1 %(V)

k) Vapour pressure 13 hPa at 81 °C

< 1 hPa at 20 °C

I) Vapour density 4.08 - (Air = 1.0)

m) Relative density 0.899-0.903 g/cm3 at 20 °C

n) Water solubility soluble

o) Partition coefficient: noctanol/water log Pow: 0,81 at 25 °C

p) Auto-ignition

230 °C at 1.013 hPa

q) Decomposition

temperature

No data available

temperature r) Viscosity

3,642 mm2/s at 20 °C -

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 65,03 mN/m at 20 °C

Relative vapour density 4,08 - (Air = 1.0)

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 104 Conditions to avoid

Heat, flames and sparks.

# 105 Incompatible materials

Strong oxidizing agents

## 106 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - male - 880 mg/kg

(OECD Test Guideline 401)

LD50 Dermal - Rabbit - male - 1.060 mg/kg

(OECD Test Guideline 402)

LD50 Intraperitoneal - Rat - 220 mg/kg

LD50 Intravenous - Rat - 307 mg/kg

## Sk in corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 20 h

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h (OECD Test Guideline 405)

# Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig Result: Does not cause skin sensitisation.

(OECD Test Guideline 406)

# Germ cell mutagenicity

Hamster ovary

Result: negative

**OECD Test Guideline 474** 

Mouse - male Result: negative Carcinogenicit y

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

# Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

# Additional Information

Repeated dose

Rat - male - Oral - NOAEL: < 69 mg/kg - OECD Test Guideline 408

toxicity

RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis

# SECTION 12: Ecological information

# 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1.474 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

Immobilization EC50 - Daphnia magna (Water flea) - 1.550 mg/l - 48 h

other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - 1.840

mg/l - 72 h

(OECD Test Guideline 201)

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 90,4 % - Readily biodegradable

(OECD Test Guideline 301B)

Remarks: The 10 day time window criterion is not fulfilled.

Ratio BOD/ThBOD 88 %

# 12.3 Bioaccum ulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Cont am inated packaging

Dispose of as unused product.

## SECTION 14: Transport information

## 14.1 UN number

ADR/RID: - IMDG: - IATA: -

# 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

# 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

No data available

# SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

151 Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# SECTION 16: Other information

# Full text of H-Statements referred to under sections 2 and 3.

| H302          | Harmful if swallowed.                                    |
|---------------|--|
| H302 + H312 + | Harmful if swallowed, in contact with skin or if inhaled |
| H332          |  |
| H312          | Harmful in contact with skin.                            |
| H315          | Causes skin irritation.                                  |
| H319          | Causes serious eye irritation.                           |
| H332          | Harmful if inhaled.                                      |